

HEWLETT-PACKARD COMPANY

Intellectual Property Administration
P.O. Box 272400
Fort Collins, Colorado 80527-2400

PATENT APPLICATION

ATTORNEY DOCKET NO. 10003976-1

IN THE U.S. PATENT AND TRADEMARK OFFICE
Patent Application Transmittal Letter

COMMISSIONER FOR PATENTS
Washington, D.C. 20231

Sir:

Transmitted herewith for filing under 37 CFR 1.53(b) is a(n): ☒ Utility () Design
() original patent application,
() continuation-in-part application

INVENTOR(S): **Michael D. Whitmarsh et al.**

TITLE: **INTERNET PRINT BROKERING SYSTEM AND METHOD**

Enclosed are:

- ☒ The Declaration and Power of Attorney. (☒) signed () unsigned or partially signed
(☒) 8 sheets of drawings (one set) () Associate Power of Attorney
() Form PTO-1449 (☒) Information Disclosure Statement and Form PTO-1449
() Priority document(s) (☒) (Other) (3) Cited References (fee \$)

CLAIMS AS FILED BY OTHER THAN A SMALL ENTITY				
(1) FOR	(2) NUMBER FILED	(3) NUMBER EXTRA	(4) RATE	(5) TOTALS
TOTAL CLAIMS	43 — 20	23	X \$18	\$ 414
INDEPENDENT CLAIMS	3 — 3	0	X \$80	\$ 0
ANY MULTIPLE DEPENDENT CLAIMS	0		\$270	\$ 0
BASIC FEE: Design (\$320.00); Utility (\$710.00)				\$ 710
TOTAL FILING FEE				\$ 1,124
OTHER FEES				\$
TOTAL CHARGES TO DEPOSIT ACCOUNT				\$ 1,124

Charge \$ 1,124 to Deposit Account 08-2025. At any time during the pendency of this application, please charge any fees required or credit any over payment to Deposit Account 08-2025 pursuant to 37 CFR 1.25. Additionally please charge any fees to Deposit Account 08-2025 under 37 CFR 1.16, 1.17, 1.19, 1.20 and 1.21. A duplicate copy of this sheet is enclosed.

"Express Mail" label no. EL384248945US

Date of Deposit Oct. 10, 2000

I hereby certify that this is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to: Commissioner for Patents, Washington, D.C. 20231.

By Christine M. Welter
Typed Name: Christine M. Welter

Respectfully submitted,

Michael D. Whitmarsh et al.

By Steven E. Dicke

Steven E. Dicke

Attorney/Agent for Applicant(s)

Reg. No. 38,431

Date: Oct. 10, 2000

Telephone No.: (612) 573-2002

INTERNET PRINT BROKERING SYSTEM AND METHOD

Cross-Reference to Related Applications

5 This patent application is related to Non-Provisional U.S. Patent
Application Serial No. XX/XXX,XXX, entitled "INTERNET PRINT
MANAGING SYSTEM AND METHOD WITH PRINT JOB
DISTRIBUTION", having Attorney Docket No. 10003972-1, filed on even date
herewith, assigned to the assignee of the present invention, and incorporated
10 herein by reference.

The Field of the Invention

 The present invention relates generally to print services and, more
particularly, to an Internet system and method of brokering a print job between a
15 customer and a plurality of print providers each providing print services.

Background of the Invention

 Typically, a party having printing needs must either fulfill the printing
needs on their own or contract with a print provider offering printing services
20 which can fulfill the printing needs. Before contracting with a print provider,
however, a customer must identify which print providers offer specific printing
services which fulfill the printing needs. Identifying which print providers of a
myriad of available print providers provide specific printing services is a tedious
task. More specifically, the customer must contact each print provider
25 individually, either in person or telephonically, to identify which print providers
provide specific printing services.

 While identifying which print providers provide specific printing
services, the customer also must identify which print providers provide specific
printing services within desired or necessary parameters. The customer may
30 require, for example, that a print job be completed and delivered within a certain
time frame or that a print job be completed for less than a specific price. Thus, a

customer may need to contact several print providers individually to identify which print providers provide specific printing services within desired or necessary parameters.

Unfortunately, contacting several print providers individually to identify which print providers provide specific printing services within desired or necessary parameters is often ineffective and inefficient. After contacting several print providers, for example, the customer may find that the print providers do not provide the specific printing services or that the print providers do not provide the specific printing services within the desired or necessary parameters. Thus, efforts of the customer may identify few or no print providers capable of fulfilling the print job.

Accordingly, a need exists for efficiently and effectively brokering a print job between a customer and a plurality of print providers. More specifically, a need exists for uniting a customer having printing needs with print providers providing print services which can fulfill the printing needs.

Summary of the Invention

One aspect of the present invention provides a method of brokering a print job between a customer and a plurality of print providers. The method includes providing a print brokering system controller having a printing capability of each of the print providers registered therewith, defining a network communication link between the customer and the print brokering system controller, comparing a print request for the print job with the printing capability of each of the print providers and determining which of the print providers have the printing capability to fulfill the print request, and compiling a list of at least one of the print providers which has the printing capability to fulfill the print request.

Another aspect of the present invention provides a system for brokering a print job between a customer and a plurality of print providers. The system includes a print brokering system controller configured to have a printing capability of the print providers registered therewith such that the print brokering

system controller is adapted to receive a print request for the print job and compare the print request with the printing capability of the print providers to determine which of the print providers have the printing capability to fulfill the print request. As such, the print brokering system controller is adapted to
5 compile a list of at least one of the print providers which has the printing capability to fulfill the print request.

Another aspect of the present invention provides a method of brokering a print job between a customer and a plurality of print providers. The method includes providing a print brokering system controller having a printing
10 capability of the print providers registered therewith and generating and submitting a print request for the print job to the print brokering system controller. The method also includes comparing the print request with the printing capability of at least one of the print providers and determining if the at least one of the print providers has the printing capability to fulfill the print
15 request, and compiling a list of the at least one of the print providers if the at least one of the print providers has the printing capability to fulfill the print request.

In one embodiment, the present invention provides a system and method of brokering a print job of a customer between the customer and a plurality of
20 print providers each providing print services. The system and method utilizes a network communication link between the customer, the print providers, and a controller of the system so as to effectively and efficiently unite customers having printing needs with print providers providing print services which can fulfill the printing needs.

25

Brief Description of the Drawings

Figure 1 is a block diagram illustrating one exemplary embodiment of a print brokering system according to the present invention.

Figure 2 is a block diagram illustrating one exemplary embodiment of
30 information flow through a portion of the print brokering system of Figure 1.

Figure 3 is a block diagram illustrating one exemplary embodiment of information flow through another portion of the print brokering system of Figure 1.

Figure 4 is a diagram illustrating one exemplary embodiment of a portion of a customer interface of the print brokering system of Figure 1.

Figure 5 is a diagram illustrating one exemplary embodiment of a portion of a print provider interface of the print brokering system of Figure 1.

Figure 6 is a diagram illustrating one exemplary embodiment of a print request generated and submitted by a customer with the print brokering system of Figure 1.

Figure 7 is a diagram illustrating one exemplary embodiment of a printing capability registered by a print provider with the print brokering system of Figure 1.

Figure 8 is a flow diagram illustrating one exemplary embodiment of a method of brokering a print job between a customer and a plurality of print providers according to the present invention.

Figure 9 is a diagram illustrating one exemplary embodiment of a list of print providers established during the method of Figure 8.

Figure 10 is a flow diagram illustrating one exemplary embodiment of a method of comparing a print request with a printing capability in the method of Figure 8.

Description of the Preferred Embodiments

In the following detailed description of the preferred embodiments, reference is made to the accompanying drawings which form a part hereof, and in which is shown by way of illustration specific embodiments in which the invention may be practiced. It is to be understood that other embodiments may be utilized and structural or logical changes may be made without departing from the scope of the present invention. The following detailed description, therefore, is not to be taken in a limiting sense, and the scope of the present invention is defined by the appended claims.

An Internet print brokering system according to the present invention is illustrated generally at 10 in Figure 1. Print brokering system 10 facilitates automatic brokering of a print job 12a, 12b, 12c of a customer 14a, 14b, 14c between customer 14a, 14b, 14c and a print provider 16a, 16b, 16c which provides print services 18a, 18b, 18c. For clarity, print job 12a, 12b, 12c, customer 14a, 14b, 14c, print provider 16a, 16b, 16c, and print services 18a, 18b, 18c are referred to hereinafter as print job 12, customer 14, print provider 16, and print services 18, respectively. As such, customer 14 may be one of a plurality of customers 20 each having a separate print job 12. Print provider 16 may be one of a plurality of print providers 22 each providing separate print services 18. Accordingly, print brokering system 10 unites customers 20 having specific printing needs with print providers 22 which can fulfill those printing needs.

Print job 12, as used herein, is defined to include a piece of work requiring production and/or reproduction of printed matter. Customer 14, as used herein, is defined to include an entity or entities such as a consumer, an employee, or another print provider requesting or soliciting printing services, finishing services, delivery services, and/or other print processing services. Print provider 16, as used herein, is defined to include an entity or entities offering, providing, and/or assisting in printing services, finishing services, delivery services, and/or other print processing services. Print services 18, as used herein, is defined to include printing services, finishing services, delivery services, and/or other print processing services.

In one exemplary embodiment, print brokering system 10 includes a customer interface 24, a print provider interface 26, and a print brokering system controller 28. Customer interface 24, print provider interface 26, and print brokering system controller 28 communicate with each other via a network communication link 30. Network communication link 30, as used herein, is defined to include an Internet communication link, an Intranet communication link, or similar high-speed communication link. In one preferred embodiment, network communication link 30 includes an Internet communication link 32.

While the following description only refers to Internet communication link 32, it is understood that the use of other network communication links is within the scope of the present invention.

In one exemplary embodiment, customers 20, print providers 22, and
5 print brokering system controller 28 are all located remote from each other (i.e., at different locations). Thus, communications between customers 20 and print brokering system controller 28, communications between print providers 22 and print brokering system controller 28, and communications between customers 20 and print providers 22 are conducted over Internet communication link 32.
10 Preferably, print providers 22 communicate with print brokering system controller 28 via Internet communication link 32. It is, however, within the scope of the present invention for print providers 22 to communicate with print brokering system controller 28 in other manners (e.g., a direct connection).

Print brokering system 10, including print brokering system controller
15 28, can be implemented in hardware via a microprocessor, programmable logic device, or state machine, in firmware, or in software within a given device. In one aspect, at least a portion of the software programming is written in JAVA programming language, and each of the main components communicate via Internet communication link 32 using a communication bus protocol. For
20 example, the present invention may or may not use a TCP/IP protocol suite for data transport. Other programming languages and communication bus protocols suitable for use with print brokering system 10 will become apparent to those skilled in the art after reading the present application.

Print brokering system controller 28 includes hardware, software,
25 firmware, or a combination of these. In one preferred embodiment, print brokering system controller 28 includes a computer server or other microprocessor based system capable of performing a sequence of logic operations. In addition, print brokering system controller 28 can include a microprocessor embedded system/appliance incorporating tailored appliance
30 hardware and/or dedicated single purpose hardware.

As illustrated in Figure 2, customer 14 accesses customer interface 24 of print brokering system 10 via a computer terminal 34. Computer terminal 34 includes, for example, an input device such as a keyboard and/or a mouse and a display device such as a monitor, as is well known in the art. In one exemplary embodiment, customer 14 enters print brokering system 10 and, therefore, accesses customer interface 24 by selecting “File/Print...” in a program running on computer terminal 34 and by selecting print brokering system 10, or an application incorporating print brokering system 10, as the “Name” of the printer.

Customer 14 interacts with customer interface 24 via computer terminal 34 to generate a print request 36 for print job 12 and submit print request 36 to print brokering system controller 28 via Internet communication link 32. Print request 36 identifies attributes of print job 12 specified by customer 14, as described below. Customer 14 also interacts with customer interface 24 to register with print brokering system 10 as well as submit billing and shipping information to print brokering system 10. Submitting billing and shipping information to print brokering system 10 includes, for example, submitting payment information such as a credit card or other account information and delivery information such as a shipping address.

As illustrated in Figure 3, print provider 16 accesses print provider interface 26 of print brokering system 10 via a computer terminal 38. Computer terminal 38 includes, for example, an input device such as a keyboard and/or a mouse and a display device such as a monitor, as is well known in the art.

Print provider 16 interacts with print provider interface 26 via computer terminal 38 to register a printing capability 40 with print brokering system controller 28 via Internet communication link 32. Printing capability 40 identifies attributes of print services 18 provided by print provider 16, as described below. Print provider 16 also interacts with print provider interface 26 to register with print brokering system 10 as well as submit responses to queries from print brokering system 10.

In one exemplary embodiment, as illustrated in Figure 1, print brokering system 10 includes a print brokering data storage system 42. Print brokering data storage system 42 constitutes a database of one or more data files for print brokering system 10. Examples of print brokering data storage system 42 include non-volatile memory (e.g., a hard disk drive or other persistent storage device) and may include volatile memory (e.g., random access memory (RAM)). Data is transferred to and from print brokering data storage system 42 via print brokering system controller 28.

In one exemplary embodiment, print brokering system controller 28 communicates with and transfers printing capability 40 of print providers 22 to print brokering data storage system 42. As such, print brokering data storage system 42 stores printing capability 40 of print providers 22 for subsequent retrieval and processing. More specifically, when print brokering system controller 28 receives printing capability 40 from print provider 16, printing capability 40 is stored as a data file in print brokering data storage system 42. Print brokering system controller 28, therefore, subsequently retrieves printing capability 40 from print brokering data storage system 42 for processing.

In one exemplary embodiment, a data file 44 of print job 12 is submitted with print request 36, as illustrated in Figure 2. Data file 44 of print job 12 is uploaded to print brokering system controller 28 via Internet communication link 32. As such, print brokering system controller 28 stores data file 44 of print job 12 in print brokering data storage system 42 for subsequent downloading to print provider 16.

When customer 14 selects print provider 16 to complete print job 12, print provider 16 downloads data file 44 of print job 12 from print brokering system controller 28 and, more specifically, print brokering data storage system 42 via Internet communication link 32. Thus, print job 12 is submitted to print provider 16 through print brokering system controller 28. It is, however, within the scope of the present invention for print job 12 to be submitted directly to print provider 16 from customer 14.

In one exemplary embodiment, as illustrated in Figure 4, a portion of customer interface 24 includes a plurality of input fields 50 with which customer 14 interacts to specify attributes of print job 12. As such, customer 14 interacts with input fields 50, via an input device such as a keyboard and/or a mouse of computer terminal 34, to generate print request 36 for print job 12. Input fields 50 include, for example, a customer identification field 51, a file format field 52, a print medium size field 53, a print medium type field 54, a number of copies field 55, a printing layout field 56, a color printing option field 57, a finishing option field 58, and a delivery option field 59. Input fields 50 each include at least one subfield providing data entry points or representing available options for generating and submitting print request 36.

Customer identification field 51 includes, for example, subfields 511 and 512 which provide data entry points for a name and an address, respectively, of customer 14. File format field 52 includes, for example, subfields 521, 522, 523 which represent different file formats for print job 12. Print medium size field 53 includes, for example, subfields 531, 532, 533 which represent different sizes of print medium for print job 12. Print medium type field 54 includes, for example, subfields 541, 542, 543 which represent different types of print medium for print job 12. Number of copies field 55 includes subfield 551 in which a number of copies included in print job 12 is specified. Printing layout field 56 includes, for example, subfields 561, 562, 563, and 564 which represent different printing layouts for print job 12. Color printing option field 57 includes, for example, subfields 571, 572, and 573 which represent different color printing options for print job 12. Finishing option field 58 includes, for example, subfields 581, 582, 583 which represent different finishing options for print job 12. Delivery option field 59 includes, for example, subfields 591, 592, 593 which represent different delivery options for print job 12.

Additional file formats, print medium sizes, print medium types, printing layouts, color printing options, finishing options, and delivery options, as are well known in the art, may be represented by additional subfields of file format field 52, print medium size field 53, print medium type field 54, printing layout

field 56, color printing option field 57, finishing option field 58, and delivery option field 59, respectively. Selecting and/or completing various subfields of input fields 50, therefore, identifies attributes of print job 12 as specified by customer 14. In one exemplary embodiment, when data file 44 of print job 12 is submitted with print request 36, identification or selection of some input fields 50 of customer interface 24 are inferred from a content of data file 44, as described below. In addition, customer 14 may store preferences of various subfields as default selections.

In one illustrative embodiment of customer interface 24, subfields 521, 522, and 523 of file format field 52 represent a Portable Document Format (.PDF), a PostScript (.PS) format, and a Microsoft® Word Document (.DOC) format, respectively. Selecting subfield 521, therefore, identifies the file from which print job 12 is to be printed as a Portable Document Format (.PDF) file. Subfields 531, 532, and 533 of print medium size field 53 represent a Letter size, a Legal size, and an A4 size of print medium, respectively. Selecting subfield 531, therefore, identifies the size of print medium upon which print job 12 is to be printed as Letter. Subfields 541, 542, and 543 of print medium type field 54 represent a Plain, a Gloss, and a Bond type of print medium, respectively. Selecting subfield 541, therefore, identifies the type of print medium upon which print job 12 is to be printed as Plain. Subfields 561, 562, 563, and 564 of printing layout field 56 represent an orientation of print job 12 including Portrait and Landscape and an imposition of print job 12 including Single-Sided and Double-Sided, respectively. Selecting subfields 561 and 563, therefore, identifies the orientation and the imposition of print job 12 as Portrait and Single-Sided, respectively. Subfields 571, 572, and 573 of color printing option field 57 represent Color Printing, Grayscale Printing, and Monochrome Printing, respectively. Selecting subfield 571, therefore, identifies Color Printing for print job 12. Subfields 581, 582, and 583 of finishing option field 58 represent No Finishing, 3-Hole Finishing, and Staple Finishing, respectively. Selecting subfield 581, therefore, identifies no finishing option for print job 12. Subfields 591, 592, and 593 of delivery option field 59 represent Pick-up, Standard

Delivery, and Express Delivery, respectively. Selecting subfield 591, therefore, identifies customer pick-up of print job 12.

In one exemplary embodiment, input of specific input fields 50 dictates a selection of other input fields 50. When customer 14 selects a specific subfield, for example, additional subfields may appear and/or existing subfields may be unavailable. In addition, when customer 14 selects a specific subfield, additional subfields may be automatically selected and/or completed.

In one exemplary embodiment, as illustrated in Figure 5, a portion of print provider interface 26 includes a plurality of input fields 60 with which print provider 16 interacts to specify attributes of print services 18. Print provider 16 interacts with input fields 60, via an input device such as a keyboard and/or a mouse of computer terminal 38, to register printing capability 40. Input fields 60 include, for example, a print provider identification field 61, a file format options field 62, a print medium size options field 63, a print medium type options field 64, a printing layout options field 65, a color printing options field 66, a finishing options field 67, and a delivery options field 68. Input fields 60 each include at least one subfield providing data entry points or representing available options for registering printing capability 40.

Print provider identification field 61 includes, for example, subfields 611 and 612 which provide data entry points for a name and an address, respectively, of print provider 16. File format options field 62 includes, for example, subfields 621, 622, 623 which represent different file formats that print provider 16 supports and, more specifically, file formats from which print provider 16 is capable of printing. Print medium size options field 63 includes, for example, subfields 631, 632, 633 which represent different sizes of print medium upon which print provider 16 is capable of printing. Print medium type options field 64, includes, for example, subfields 641, 642, 643 which represent different types of print medium upon which print provider 16 is capable of printing. Printing layout options field 65 includes, for example, subfields 651, 652, 653, and 654 which represent different printing layouts that print provider 16 is capable of providing as print services 18. Color printing options field 66

includes, for example, subfields 661, 662, and 663 which represent different color printing options that print provider 16 is capable of offering as print services 18. Finishing options field 67 includes, for example, subfields 671, 672, 673 which represent different finishing options that print provider 16 is
5 capable of providing as printing services 18. Delivery options field 68 includes, for example, subfields 681, 682, 683 which represent different delivery options that print provider 16 is capable of providing as print services 18.

Additional file formats, print medium sizes, print medium types, printing layout options, color printing options, finishing options, and delivery options, as
10 are well known in the art, may be represented by additional subfields of file format options field 62, print medium size options field 63, print medium type options field 64, printing layout options field 65, color printing options field 66, finishing options field 67, and delivery options field 68, respectively. Selecting and/or completing various subfields of input fields 60, therefore, identifies
15 attributes of print services 18 as provided by print provider 16 in a manner similar to how selecting and/or completing various subfields of input fields 50 identifies attributes of print job 12 as specified by customer 14. Print provider 16, however, may select and/or complete multiple subfields within each input field 60 to specify the different options available with print services 18.

20 In one exemplary embodiment, when print provider 16 selects a specific subfield, print provider 16 may also select other subfields per the specific subfield. When print provider 16 selects a specific print medium type, for example, print provider 16 may also select various print medium sizes per the specific print medium type. In addition, print provider 16 may specify or select
25 a range of various subfields for a specific input field 60.

It is to be understood that Figures 4 and 5 are simplified illustrations of one exemplary embodiment of customer interface 24 and print provider interface 26, respectively. The illustrative presentation of input fields 50 and 60 including the respective subfields, for example, has been simplified for clarity of the
30 invention. The subfields may be presented, for example, as open fields, pulldown menus, toggle selections, and/or highlighted or framed selections. In

addition, customer interface 24 and/or print provider interface 26 may be presented, for example, in one or more screens or views. Furthermore, customer 14 and/or print provider 16 may generate print request 36 and register printing capability 40 by responding to query-based systems or applications. It is
5 understood that such alternatives are within the scope of the present invention.

By interacting with customer interface 24 and print provider interface 26, customer 14 and print provider 16 generate print request 36 and register printing capability 40, respectively. In one exemplary embodiment, as illustrated in Figure 6, print request 36 includes a plurality of print request attributes 70 which
10 define print job 12. Print request attributes 70 include, for example, a customer identification attribute 71, a file format attribute 72, a print medium size attribute 73, a print medium type attribute 74, a number of copies attribute 75, a printing layout attribute 76, a color printing option attribute 77, a finishing option attribute 78, and a delivery option attribute 79. Print request attributes 70
15 coincide with selections as specified in input fields 50 of customer interface 24.

Customer identification attribute 71 includes, for example, the name and the address of customer 14 as specified in customer identification field 51 of customer interface 24. File format attribute 72 includes the format of the file from which print job 12 is to be printed as specified in file format field 52 of customer interface 24. Print medium size attribute 73 includes the size of
20 medium upon which print job 12 is to be printed as specified in print medium size field 53 of customer interface 24. Print medium type attribute 74 includes the type of medium upon which print job 12 is to be printed as specified in print medium type field 54 of customer interface 24. Number of copies attribute 75
25 includes the number of copies included in print job 12 as specified in number of copies field 55 of customer interface 24. Printing layout attribute 76 includes the layout of how print job 12 is to be printed as specified in printing layout field 56 of customer interface 24. Color printing option attribute 77 includes whether
30 print job 12 is to be printed in color as specified in color printing option field 57 of customer interface 24. Finishing option attribute 78 includes the finish to be applied to print job 12 as specified in finishing option field 58 of customer

interface 24. Delivery option attribute 79 includes how print job 12 is to be delivered to customer 14 as specified in delivery option field 59 of customer interface 24.

In one exemplary embodiment, when data file 44 of print job 12 is submitted with print request 36, print brokering system controller 28 infers or determines a number of print request attributes 70. Print brokering system controller 28 determines, for example, file format attribute 72, print medium size attribute 73, and printing layout attribute 76 of print job 12 from data file 44. Customer 14, therefore, need only enter those print request attributes 70 which are not determined by print brokering system controller 28. As such, it is not necessary for customer 14 to enter all print request attributes 70.

In one exemplary embodiment, as illustrated in Figure 7, printing capability 40 includes a plurality of printing capability attributes 80 which define print services 18. Printing capability attributes 80, include, for example, a print provider identification attribute 81, a file formats attribute 82, a print medium sizes attribute 83, a print medium types attribute 84, a printing layout options attribute 85, a color printing options attribute 86, a finishing options attribute 87, and a delivery options attribute 88. Printing capability attributes 80 coincide with selections as specified in input fields 60 of print provider interface 26 in a manner similar to how print request attributes 70 coincide with selections as specified in input fields 50 of customer interface 24.

In Figure 8, a flow diagram illustrating one exemplary embodiment of a method of brokering print job 12 between customer 14 and print providers 22 according to the present invention is illustrated generally at 100. Reference is also made to Figures 1-7. At step 110, at least one print provider 16 of the plurality of print providers 22 registers a respective printing capability 40 of print services 18 with print brokering system controller 28 and, at step 112, customer 14 generates and submits a respective print request 36 for print job 12 to print brokering system controller 28. In one exemplary embodiment, customer 14 generates and submits print request 36 to print brokering system controller 28 via Internet communication link 32, as illustrated in Figure 2, and

print providers 22 register printing capability 40 with print brokering system controller 28 via Internet communication link 32, as illustrated in Figure 3.

Preferably, print providers 22 register printing capability 40 at step 110 before customer 14 generates and submits print request 36 at step 112. It is, however, within the scope of the present invention for print providers 22 to register printing capability 40 after customer 14 generates and submits print request 36 and for print providers 22 to re-register or update printing capability 40 with print brokering system controller 28. If, for example, print provider 16 modifies print services 18 by adding, deleting, and/or upgrading equipment, components, and/or services, print provider 16 can re-register printing capability 40 with print brokering system controller 28. In addition, it is also within the scope of the present invention for customer 14 to re-generate and/or re-submit print request 36 to print brokering system controller 28.

Next, in step 114, after print brokering system controller 28 receives print request 36, print brokering system controller 28 compares print request 36 with printing capability 40 of print providers 22 to determine which print providers 22 have print services 18 to fulfill print job 12.

To compare print request 36 with printing capability 40, print request attributes 70 of print job 12, as specified by customer 14, are compared with printing capability attributes 80 of print services 18, as provided by print providers 22. Thus, print brokering system controller 28 determines which print providers 22 have printing capability 40 to fulfill print request 36 and, therefore, complete print job 12. Accordingly, only those print providers 22 which have printing capability 40 to fulfill print request 36 are identified in step 114. Conversely, those print providers which do not have printing capability 40 to fulfill print request 36 are not identified. Print brokering system controller 28, therefore, effectively filters those print providers which do not have printing capability 40 to fulfill print request 36.

When printing capability 40 of print providers 22 is registered with print brokering system controller 28 in step 110, print brokering system controller 28 stores printing capability 40 in print brokering data storage system 42, as

described above. As such, print brokering system controller 28 retrieves printing capability 40 from print brokering data storage system 42 when comparing print request with printing capability 40 in step 114.

Next, in step 116, a list 46 of print providers 22 which have printing
5 capability 40 to fulfill print request 36, as established by print brokering system controller 28 in step 114, is compiled. In one exemplary embodiment, list 46 includes an identification field 461, a name field 462, an address field 463, and an attribute field 464, as illustrated in Figure 9. Identification field 461, name
10 field 462, and address field 463 include identification, name, and address information, respectively, of print providers 22 which have printing capability 40 to fulfill print request 36. Attribute field 464 includes an attribute of print request 36 and, more specifically, an attribute of completing print job 12 such as price, conveyed as described below.

Next, in step 118, list 46, as compiled by print brokering system
15 controller 28 in step 116, is presented to customer 14. In one exemplary embodiment, list 46 is presented to customer 14 from print brokering system controller 28 via Internet communication link 32 and customer interface 24, as illustrated in Figure 2.

Next, in step 120, customer 14 selects at least one print provider 16 from
20 list 46 to complete print job 12 and, in step 122, submits print job 12 to the selected print provider 16.

Then, in step 124, the selected print provider 16 completes print job 12
and, in step 126, delivers completed print job 12 to customer 14. Delivery of
completed print job 12 to customer 14 from print provider 16 is also represented
25 by the dashed line in Figure 1.

In one exemplary embodiment, as illustrated in Figure 10, the step of
comparing print request 36 with printing capability 40 in step 114 includes
performing both a static match and a dynamic match of print job 12 of customer
14 with print services 18 of print providers 22. The static match includes a
30 comparison of attributes of print job 12 which are generally constant over time. Such attributes include, for example, print medium sizes, print medium types,

printing layouts, etc. The dynamic match includes a comparison of aspects of print job 12 which are generally susceptible to change. Such aspects include, for example, price, availability, schedule, etc.

5 The step of comparing print request 36 with printing capability 40 in step 114, therefore, includes performing a static match of print request 36 of customer 14 with printing capability 40 of print providers 22, as indicated in step 141. The static match of step 141 includes, for example, a comparison of print request attributes 70 and printing capability attributes 80 which are generally constant over time. As such, a first subset of print providers 22 which satisfy the static match of step 141 is established, as indicated in step 142. The first subset of print providers 22 may include all or less than all print providers 22.

10 Next, in step 143, a query of the first subset of print providers 22 is performed. The query is of a performance attribute 48 of print job 12. Performance attribute 48 of print job 12 includes, for example, a price of print job 12, an availability of print providers 22 to complete print job 12, and/or a schedule or turnaround time for completing print job 12.

15 In one exemplary embodiment, the query of print providers 22 is performed by print brokering system controller 28 via Internet communication link 32 and print provider interface 26, as illustrated in Figure 3. Thus, step 143 includes a real-time query of print providers 22. For responding to the query of step 143, each print provider 16 may establish a predefined model or proxied application which automatically responds to the query of step 143.

20 The query of the first subset of print providers 22 in step 143 may permit the first subset of print providers 22 to verify that they do indeed have printing capability 40 to fulfill print request 36. Thus, print providers 22 may correct or update printing capability 40. In addition, print providers 22 may opt out of the dynamic match by, for example, not responding.

25 After receiving a response to the query of step 143, a dynamic match of performance attribute 48 is performed, as indicated in step 144. The dynamic match of step 144 includes, for example, a comparison of aspects of print job 12 which are generally susceptible to change. The dynamic match of step 144

includes a comparison of a parameter of performance attribute 48, as submitted by customer 14 with print request 36, with the response of print providers 22 to the query of step 143. The parameter of performance attribute 48 includes, for example, a price limit and/or price range for print job 12, a required start time for print job 12, and/or a required completion time for print job 12. As such, a second subset of print providers 22 which satisfy the dynamic match of step 144 is established in step 145. The second subset of print providers 22 may include all or less than all of the print providers 22 included in the first subset of print providers 22.

10 In one exemplary embodiment, print providers 22 which have printing capability 40 to fulfill print request 36 are sorted or ranked based on dynamic and/or static attributes. Print brokering system controller 28 may rank print providers 22, for example, based on a price of completing print job 12, as described above. In addition, print brokering system controller 28 may rank
15 print providers 22, for example, based on location or, more specifically, proximity to customer 14, as presented in list 46.

By comparing print request 36 of customers 20 with printing capability 40 of print providers 22, print brokering system 10 serves as an intermediary between customers 20 and print providers 22. Thus, print brokering system 10
20 unites customers 20 having printing needs with print providers 22 providing print services. More specifically, print brokering system 10 automatically identifies which print providers 22 have the specific print services to fulfill the specific printing needs of customers 20. As such, print brokering system 10 matches customers 20 having print job 12 with select print providers 22 capable
25 of completing print job 12 by comparing print request 36 for print job 12 with printing capability 40 of print services 18. It is, therefore, not necessary for customers 20 to have prior knowledge of print providers 22. In addition, by defining Internet communication link 32 between customers 20, print providers 22, and print brokering system controller 28, customers 20 can easily identify
30 and have direct access to print providers 22 which have the capability to fulfill the printing needs.

Although specific embodiments have been illustrated and described herein for purposes of description of the preferred embodiment, it will be appreciated by those of ordinary skill in the art that a wide variety of alternate and/or equivalent implementations calculated to achieve the same purposes may be substituted for the specific embodiments shown and described without departing from the scope of the present invention. Those with skill in the chemical, mechanical, electro-mechanical, electrical, and computer arts will readily appreciate that the present invention may be implemented in a very wide variety of embodiments. This application is intended to cover any adaptations or variations of the preferred embodiments discussed herein. Therefore, it is manifestly intended that this invention be limited only by the claims and the equivalents thereof.

WHAT IS CLAIMED IS:

1. A method of brokering a print job between a customer and a plurality of print providers, the method comprising the steps of:
 - 5 providing a print brokering system controller having a printing capability of each of the print providers registered therewith;
defining a network communication link between the customer and the print brokering system controller;
comparing a print request for the print job with the printing capability of each of the print providers and determining which of the print providers have the printing capability to fulfill the print request; and
10 compiling a list of at least one of the print providers which has the printing capability to fulfill the print request.
- 15 2. The method of claim 1, wherein the step of defining the network communication link includes defining an Internet communication link between the customer and the print brokering system controller.
3. The method of claim 1, further comprising the step of:
 - 20 registering the printing capability of each of the print providers with the print brokering system controller.
4. The method of claim 3, wherein the step of defining the network communication link includes defining the network communication link between
25 the customer, the print providers, and the print brokering system controller, and wherein the step of registering the printing capability includes registering the printing capability of each of the print providers with the print brokering system controller via the network communication link.
- 30 5. The method of claim 3, wherein the step of registering the printing capability includes registering at least one of a file format compatibility, a print

medium capability, a printing layout capability, a color printing capability, a finishing capability, a delivery capability, and an identification of each of the print providers.

5 6. The method of claim 3, wherein the step of registering the printing capability includes storing a registration of the printing capability of each of the print providers, and wherein the step of comparing the print request includes retrieving the printing capability of each of the print providers.

10 7. The method of claim 1, further comprising the step of:
generating and submitting the print request for the print job to the print brokering system controller via the network communication link.

15 8. The method of claim 7, wherein the step of generating and submitting the print request includes specifying at least one of a file format, a number of copies, a print medium, a printing layout, a color printing option, a finishing option, a delivery option, and a customer identification for the print job.

20 9. The method of claim 7, wherein the step of generating and submitting the print request includes submitting a parameter of a performance attribute of the print job, and wherein the step of comparing the print request includes:

performing a first match of the print request with the printing capability of the print providers and establishing a first subset of the print providers based on the first match,

25 querying the first subset of the print providers on the performance attribute of the print job and receiving a response thereto, and

performing a second match of the parameter of the performance attribute with the response thereto and establishing a second subset of the print providers based on the second match.

30

10. The method of claim 9, wherein the first subset of the print providers is one of less than the plurality of print providers and equal to the plurality of print providers.

5 11. The method of claim 10, wherein the second subset of the print providers is one of less than the first subset of the print providers and equal to the first subset of the print providers.

10 12. The method of claim 9, wherein the performance attribute of the print job includes at least one of a price of the print job, an availability to complete the print job, and a turnaround time for completing the print job.

15 13. The method of claim 9, wherein the step of compiling the list includes ranking the second subset of the print providers based on the performance attribute of the print job.

14. The method of claim 1, wherein the steps of comparing the print request and compiling the list are performed by the print brokering system controller.

20 15. The method of claim 1, wherein the step of compiling the list includes ranking the at least one of the print providers based on at least one attribute of the print request.

25 16. The method of claim 1, further comprising the step of:
presenting the list of the at least one of the print providers to the customer via the network communication link.

30 17. The method of claim 1, further comprising the steps of:
selecting at least one print provider of the at least one of the print providers to fulfill the print job; and
submitting the print job to the at least one print provider.

18. The method of claim 17, wherein the step of defining the network communication link includes defining the network communication link between the customer, the print providers, and the print brokering system controller, and
5 wherein the step of submitting the print job includes submitting the print job to the at least one print provider via the network communication link.

19. A system for brokering a print job between a customer and a plurality of print providers, the system comprising:
10 a print brokering system controller configured to have a printing capability of the print providers registered therewith,
wherein the print brokering system controller is adapted to receive a print request for the print job and compare the print request with the printing capability of the print providers to determine which of the print providers have
15 the printing capability to fulfill the print request, and wherein the print brokering system controller is adapted to compile a list of at least one of the print providers which has the printing capability to fulfill the print request.

20. The system of claim 19, further comprising:
20 a print provider interface configured to communicate with the print brokering system controller via a network communication link to transmit the printing capability of each of the print providers to the print brokering system controller.

25 21. The system of claim 20, wherein the network communication link is an Internet communication link.

22. The system of claim 20, wherein the print provider interface includes at least one of a file format options field, a print medium options field, a printing
30 layout options field, a color printing options field, a finishing options field, a delivery options field, and a print provider identification field.

23. The system of claim 19, wherein the printing capability of each of the print providers includes at least one of a file format compatibility, a print medium capability, a printing layout capability, a color printing capability, a finishing capability, a delivery capability, and an identification of each of the print providers.

24. The system of claim 19, further comprising:
a print brokering data storage system configured to communicate with the print brokering system controller and store a registration of the printing capability of each of the print providers therein.

25. The system of claim 19, further comprising:
a customer interface configured to communicate with the print brokering system controller via a network communication link to transmit the print request for the print job to the print brokering system controller.

26. The system of claim 25, wherein the network communication link is an Internet communication link.

27. The system of claim 25, wherein the customer interface includes at least one of a file format field, a number of copies field, a print medium field, a printing layout field, a color printing option field, a finishing option field, a delivery option field, and a customer identification field.

28. The system of claim 19, wherein the print request includes at least one of a file format, a number of copies, a print medium, a printing layout, a color printing option, a finishing option, a delivery option, and an identification for the print job.

29. The system of claim 19, wherein the print request includes a parameter of a performance attribute of the print job, and wherein the print brokering system controller is adapted to perform a first match of the print request with the printing capability of the print providers and establish a first subset of the print providers based on the first match, query the first subset of the print providers of the performance attribute of the print job and receive a response thereto, and perform a second match of the parameter of the performance attribute with the response thereto and establish a second subset of the print providers based on the second match.

30. The system of claim 29, wherein the first subset of the print providers is one of less than the plurality of print providers and equal to the plurality of print providers.

31. The system of claim 30, wherein the second subset of the print providers is one of less than the first subset of the print providers and equal to the first subset of the print providers.

32. The system of claim 29, wherein the performance attribute of the print job includes at least one of a price of the print job, an availability to complete the print job, and a turnaround time for completing the print job.

33. The system of claim 29, wherein the print brokering system controller is adapted to rank the second subset of the print providers based on the performance attribute of the print job.

34. The system of claim 19, wherein the print brokering system controller is adapted to rank the at least one of the print providers based on at least one attribute of the print request.

35. The system of claim 19, wherein the print brokering system controller is adapted to present the list of the at least one of the print providers to the customer via a network communication link.

5 36. The system of claim 35, wherein the network communication link is an Internet communication link.

37. A method of brokering a print job between a customer and a plurality of print providers, the method comprising the steps of:

10 providing a print brokering system controller having a printing capability of the print providers registered therewith;

generating and submitting a print request for the print job to the print brokering system controller;

15 comparing via the print brokering system controller the print request with the printing capability of at least one of the print providers and determining if the at least one of the print providers has the printing capability to fulfill the print request; and

20 compiling via the print brokering system controller a list of the at least one of the print providers if the at least one of the print providers has the printing capability to fulfill the print request.

38. The method of claim 37, further comprising the steps of:

25 defining an Internet communication link between the customer and the print brokering system controller, wherein the step of generating and submitting the print request and includes generating and submitting the print request for the print job to the print brokering system controller via the Internet communication link; and

presenting the list of the at least one of the print providers to the customer via the Internet communication link.

30

39. The method of claim 38, wherein the step of defining the Internet communication link includes defining the Internet communication link between the customer, the print providers, and the print brokering system controller, and further comprising the steps of:

- 5 selecting at least one print provider of the at least one of the print providers to fulfill the print job; and
- submitting the print job to the at least one print provider via the Internet communication link.

- 10 40. The method of claim 39, further comprising the step of:
- registering the printing capability of the print providers with the print brokering system via the Internet communication link, including registering at least one of a file format compatibility, a print medium capability, a printing layout capability, a color printing capability, a finishing capability, a delivery
- 15 capability, and an identification of the print providers.

41. The method of claim 37, wherein the step of generating and submitting the print request includes specifying at least one of a file format, a number of copies, a print medium, a printing layout, a color printing option, a finishing
- 20 option, a delivery option, and a customer identification for the print job.

42. The method of claim 37, wherein the step of generating and submitting the print request includes submitting a parameter of a performance attribute of the print job, and wherein the step of comparing the print request includes:
- 25 performing a first match of the print request with the printing capability of the at least one of the print providers and establishing a first subset of the print providers based on the first match,
- querying the first subset of the print providers on the performance attribute of the print job and receiving a response thereto, and

performing a second match of the parameter of the performance attribute with the response thereto and establishing a second subset of the print providers based on the second match.

- 5 43. The method of claim 42, wherein the performance attribute of the print job includes at least one of a price of the print job, an availability to complete the print job, and a turnaround time for completing the print job.

INTERNET PRINT BROKERING SYSTEM AND METHOD

Abstract of the Disclosure

- 5 A system and method of brokering a print job between a customer and a plurality of print providers includes defining a network communication link between the customer and a print brokering system controller having a printing capability of each of the print providers registered therewith. The print brokering system controller compares a print request for the print job with the
- 10 printing capability of each of the print providers and determines which of the print providers have the printing capability to fulfill the print request. As such, the print brokering system controller compiles a list of the print providers which have the printing capability to fulfill the print request.




Fig. 1




Fig. 2




Fig. 3

24

50

CUSTOMER ID: NAME 511

51 → ADDRESS 512

FILE FORMAT: PDF 521
PS 522
DOC 523
⋮ 523

52 →

PRINT MEDIUM SIZE: LETTER 531
LEGAL 532
A4 533
⋮ 533

53 →

PRINT MEDIUM TYPE: PLAIN 541
GLOSS 542
BOND 543
⋮ 543

54 →

NUMBER OF COPIES: 100 551

55 → PRINTING LAYOUT: ☒ PORTRAIT 561
☐ LANDSCAPE 562

56 → ☒ SINGLE SIDED 564
☐ TWO SIDED 563

57 → COLOR PRINTING OPTION: ☒ COLOR 571
☐ GRAYSCALE 572
☐ MONOCHROME 573

58 → FINISHING OPTION: NONE 581
3-HOLE 582
STAPLE 583
⋮ 583

59 → DELIVERY OPTION: PICK-UP 591
STANDARD 592
EXPRESS 593
⋮ 593

CUSTOMER INTERFACE

Fig. 4

26

60

PRINT PROVIDER ID:

NAME 611

ADDRESS 612

61 →

PRINTING LAYOUT OPTION(S):

☒ PORTRAIT 651
 ☒ LANDSCAPE 652
 ☒ SINGLE SIDED 653
 ☒ TWO SIDED 654

65 →

FILE FORMAT(S):

☒ PDF 621
 ☒ PS 622
 ☐ DOC 623

⋮

62 →

COLOR PRINTING OPTION(S):

☒ COLOR 661
 ☒ GRAYSCALE 662
 ☒ MONOCHROME 663

66 →

PRINT MEDIUM SIZE(S):

☒ LETTER 631
 ☒ LEGAL 632
 ☒ A4 633

⋮

63 →

FINISHING OPTION(S):

☒ 3-HOLE 671
 ☒ STAPLE 672
 ☐ SPIRAL BOUND 673

⋮

67 →

PRINT MEDIUM TYPE(S):

☒ PLAIN 641
 ☐ GLOSS 642
 ☒ BOND 643

⋮

64 →

DELIVERY OPTION(S):

☒ PICK-UP 681
 ☒ STANDARD 682
 ☒ EXPRESS 683

⋮

68 →

PRINT PROVIDER INTERFACE

Fig. 5




Fig. 6




Fig. 7




Fig. 8

ID	NAME	LOCATION	PRICE
PP ₁	NAME ₁	ADDRESS ₁	\$ ₁
PP ₂	NAME ₂	ADDRESS ₂	\$ ₂
⋮	⋮	⋮	⋮

Fig. 9




Fig. 10

PATENT APPLICATION

DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATIONATTORNEY DOCKET NO. 10003976-1

As a below named inventor, I hereby declare that:

My residence/post office address and citizenship are as stated below next to my name:

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

INTERNET PRINT BROKERING SYSTEM AND METHOD

the specification of which is attached hereto unless the following box is checked:

() was filed on _____ as US Application Serial No. or PCT International Application
Number _____ and was amended on _____ (if applicable).

I hereby state that I have reviewed and understood the contents of the above-identified specification, including the claims, as amended by any amendment(s) referred to above. I acknowledge the duty to disclose all information which is material to patentability as defined in 37 CFR 1.56.

Foreign Application(s) and/or Claim of Foreign Priority

I hereby claim foreign priority benefits under Title 35, United States Code Section 119 of any foreign application(s) for patent or inventor(s) certificate listed below and have also identified below any foreign application for patent or inventor(s) certificate having a filing date before that of the application on which priority is claimed:

COUNTRY	APPLICATION NUMBER	DATE FILED	PRIORITY CLAIMED UNDER 35 U.S.C. 119
			YES: _____ NO: _____
			YES: _____ NO: _____

Provisional Application

I hereby claim the benefit under Title 35, United States Code Section 119(e) of any United States provisional application(s) listed below:

APPLICATION SERIAL NUMBER	FILING DATE

U. S. Priority Claim

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, Section 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

APPLICATION SERIAL NUMBER	FILING DATE	STATUS (patented/pending/abandoned)

POWER OF ATTORNEY:

As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

Customer Number 022879Place Customer
Number Bar Code
Label hereSend Correspondence to:
HEWLETT-PACKARD COMPANY
Intellectual Property Administration
P.O. Box 272400
Fort Collins, Colorado 80527-2400Direct Telephone Calls To:
Lane Simmons
(208) 396-3633

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Inventor: Michael Dean Whitmarsh Citizenship: USAResidence: 15712 NE 6th Circle, Vancouver WA 98684Post Office Address: sameInventor's Signature: [Signature] Date: 9/28/00

**DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATION (continued)**ATTORNEY DOCKET NO. 10003976-1Full Name of # 2 joint inventor: Andrew Franklin Seaborne Citizenship: UKResidence: 17 Shipley Road, Bristol, BS9 3HR, UKPost Office Address: same

Inventor's Signature

AF Seaborne

Date

29/September/2000

Full Name of # 3 joint inventor: _____ Citizenship: _____

Residence: _____

Post Office Address: _____

Inventor's Signature _____

Date _____

Full Name of # 4 joint inventor: _____ Citizenship: _____

Residence: _____

Post Office Address: _____

Inventor's Signature _____

Date _____

Full Name of # 5 joint inventor: _____ Citizenship: _____

Residence: _____

Post Office Address: _____

Inventor's Signature _____

Date _____

Full Name of # 6 joint inventor: _____ Citizenship: _____

Residence: _____

Post Office Address: _____

Inventor's Signature _____

Date _____

Full Name of # 7 joint inventor: _____ Citizenship: _____

Residence: _____

Post Office Address: _____

Inventor's Signature _____

Date _____

Full Name of # 8 joint inventor: _____ Citizenship: _____

Residence: _____

Post Office Address: _____

Inventor's Signature _____

Date _____